

Original Effective Date: 08/01/2018 Current Effective Date: 12/09/2023 Last P&T Approval/Version: 10/25/2023

Next Review Due By: 10/2024 Policy Number: C14770-A

Otrexup, Rasuvo, RediTrex (methotrexate)

PRODUCTS AFFECTED

Otrexup (methotrexate), Rasuvo (methotrexate), RediTrex (methotrexate)

COVERAGE POLICY

Coverage for services, procedures, medical devices, and drugs are dependent upon benefit eligibility as outlined in the member's specific benefit plan. This Coverage Guideline must be read in its entirety to determine coverage eligibility, if any. This Coverage Guideline provides information related to coverage determinations only and does not imply that a service or treatment is clinically appropriate or inappropriate. The provider and the member are responsible for all decisions regarding the appropriateness of care. Providers should provide Molina Healthcare complete medical rationale when requesting any exceptions to these guidelines.

Documentation Requirements:

Molina Healthcare reserves the right to require that additional documentation be made available as part of its coverage determination; quality improvement; and fraud; waste and abuse prevention processes. Documentation required may include, but is not limited to, patient records, test results and credentials of the provider ordering or performing a drug or service. Molina Healthcare may deny reimbursement or take additional appropriate action if the documentation provided does not support the initial determination that the drugs or services were medically necessary, not investigational, or experimental, and otherwise within the scope of benefits afforded to the member, and/or the documentation demonstrates a pattern of billing or other practice that is inappropriate or excessive.

DIAGNOSIS:

Rheumatoid arthritis, Juvenile idiopathic arthritis, Psoriasis

REQUIRED MEDICAL INFORMATION:

This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. If a drug within this policy receives an updated FDA label within the last 180 days, medical necessity for the member will be reviewed using the updated FDA label information along with state and federal requirements, benefit being administered and formulary preferencing. Coverage will be determined on a case-by case basis until the criteria can be updated through Molina Healthcare, Inc. clinical governance. Additional information may be required on a case-by-case basis to allow for adequate review. When the requested drug product for coverage is dosed by weight, body surface area or other member specific measurement, this data element is required as part of the medical necessity review. The Pharmacy and Therapeutics Committee has determined that the drug benefit shall be a mandatory generic and that generic drugs will be dispensed whenever available.

ALL INDICATIONS:

- 1. Documented diagnosis of one of the following:
 - a. Moderate to severe rheumatoid arthritis
 OR
 - b. Polyarticular juvenile idiopathic arthritis

Molina Healthcare, Inc. confidential and proprietary © 2023

This document contains confidential and proprietary information of Molina Healthcare and cannot be reproduced, distributed, or printed without written permission from Molina Healthcare. This page contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with Molina Healthcare.

ŎR

c. Moderate to severe psoriasis (BSA <u>></u>3%) OR <3% body surface area with plaque psoriasis that involves sensitive areas of the body or areas that would significantly impact daily function (e.g., face, neck, hands, feet, genitals)

AND

- Documentation of prescriber baseline disease activity evaluation and goals for treatment to be used to evaluate efficacy of therapy at renewal [DOCUMENTATION REQUIRED] AND
- 3. (a) Member has had an inadequate treatment response, serious side effects, or contraindication to at least a 3-month trial of methotrexate tablets
 - (b) Member has had an inadequate treatment response, serious side effects, or contraindication to at least a 3-month trial of IM or SC methotrexate or does not have the visual or physical acuity to draw up and administer an IM or SC injection AND
- 4. (a) For females of reproductive potential: Documentation of a negative pregnancy test prior to initiation of treatment AND counseling regarding adequate contraception to prevent pregnancy during treatment and for at least 6 months after taking their last dose
 OR
 - (b) For males with female partners of reproductive potential: Prescriber attests member has been counseled regarding adequate contraception during and for at least 3 months after the last dose AND
- 5. FOR OTREXUP AND RASUVO REQUESTS: Prescriber attests member is unable to use RediTrex AND
- 6. Prescriber attests to (or the clinical reviewer has found that) the member not having any FDA labeled contraindications that haven't been addressed by the prescriber within the documentation submitted for review [Contraindications to methotrexate include: pregnancy, alcoholism, liver disease, immunodeficiency syndromes and preexisting blood dyscrasias, and hypersensitivity to methotrexate.]

CONTINUATION OF THERAPY:

A. FOR ALL INDICATIONS:

- Adherence to therapy at least 85% of the treatment period verified by the prescriber or medication fill history OR adherence less than 85% of the time due to the need for surgery or treatment of an infection, causing temporary discontinuation AND
- Prescriber attests to or clinical reviewer has found no evidence of intolerable adverse effects or drug toxicity as evidenced by routine CBC with differential and platelets, serum creatinine, and LFTs AND
- 3. Documentation of positive clinical response as demonstrated by low disease activity and/or improvements in the condition's signs and symptoms [DOCUMENTATION REQUIRED]

DURATION OF APPROVAL:

Initial authorization: 12 months, Continuation of Therapy: 12 months

PRESCRIBER REQUIREMENTS:

Prescribed by or in consultation with a board-certified rheumatologist or dermatologist [If prescribed in consultation, consultation notes must be submitted with initial request and reauthorization requests]

AGE RESTRICTIONS:

Polyarticular juvenile idiopathic arthritis: 2 years of age or older

[NOTE: Published clinical studies evaluating the use of methotrexate in children and adolescents (i.e., patients 2 to 16 years of age) with pJIA demonstrated safety comparable to that observed in adults with rheumatoid arthritis]

Molina Healthcare, Inc. confidential and proprietary © 2023

Rheumatoid arthritis or Psoriasis: 18 years of age and older

QUANTITY:

4 injections per 28 days

PLACE OF ADMINISTRATION:

The recommendation is that injectable medications in this policy will be for pharmacy benefit coverage and patient self-administered.

DRUG INFORMATION

ROUTE OF ADMINISTRATION:

Subcutaneous injection

DRUG CLASS:

Antirheumatic Antimetabolites

FDA-APPROVED USES:

Indicated for the management of patients with severe, active rheumatoid arthritis and polyarticular juvenile idiopathic arthritis, who are intolerant of or had an inadequate response to first-line therapy. Symptomatic control of severe, recalcitrant, disabling psoriasis in adults who are not adequately responsive to other forms of therapy.

Limitations of Use: Otrexup, Rasuvo, RediTrex are not indicated for the treatment of neoplastic diseases

COMPENDIAL APPROVED OFF-LABELED USES:

None

APPENDIX

APPENDIX:

None

BACKGROUND AND OTHER CONSIDERATIONS

BACKGROUND:

None

CONTRAINDICATIONS/EXCLUSIONS/DISCONTINUATION:

All other uses of Otrexup/Rasuvo/RediTrex (methotrexate, injection for subcutaneous use) are considered experimental/investigational and therefore, will follow Molina's Off-Label policy. Administering Otrexup/Rasuvo/RediTrex any more frequently than once weekly can lead to fatal toxicity. Exclude pregnancy before treatment. Contraindications to Otresup/Rasuvo/RediTrex include: pregnancy, alcoholism, liver disease, immunodeficiency syndromes and preexisting blood dyscrasias, and hypersensitivity to methotrexate.

OTHER SPECIAL CONSIDERATIONS:

Methotrexate auto-injector and prefilled syringe agents have a black box warning for severe toxic reactions, including embryo- fetal toxicity and death, as well as bone marrow suppression, hepatotoxicity, methotrexate- induced lung disease, diarrhea and ulcerative stomatitis, malignant lymphomas, severe skin reaction, and potentially fatal opportunistic infections.

CODING/BILLING INFORMATION

Note: 1) This list of codes may not be all-inclusive. 2) Deleted codes and codes which are not effective at the time the service is rendered may not be eligible for reimbursement

Molina Healthcare, Inc. confidential and proprietary © 2023

This document contains confidential and proprietary information of Molina Healthcare and cannot be reproduced, distributed, or printed without written permission from Molina Healthcare. This page contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with Molina Healthcare.

HCPCS CODE	DESCRIPTION
N/A	N/A

AVAILABLE DOSAGE FORMS:

Otrexup Pen 10MG/0.4ML, 12.5/0.4ML, 15MG/0.4ML, 17.5/0.4ML, 20MG/0.4ML, 22.5/0.4ML, 25MG/0.4ML auto-injector

Rasuvo SOAJ 7.5MG/0.15ML,10MG/0.2ML, 12.5MG/0.25ML, 15MG/0.3ML, 17.5MG/0.35ML, 20MG/0.4ML, 22.5MG/0.45ML, 25MG/0.5ML, 30MG/0.6ML auto-injector

RediTrex SOSY 7.5MG/0.3ML, 10MG/0.4ML, 12.5MG/0.5ML, 15MG/0.6ML, 17.5MG/0.7ML, 20MG/0.8ML, 22.5MG/0.9ML, 25MG/ML prefilled syringe

REFERENCES

- 1. Otrexup [package insert]. Ewing, NJ: Antares Pharma, Inc; December 2019.
- 2. Rasuvo (methotrexate) [prescribing information]. Chicago, IL: Medac Pharma Inc; March 2020.
- 3. RediTrex (methotrexate) [prescribing information]. Nashville, TN: Cumberland Pharmaceuticals Inc.; November 2019.
- 4. American Academy of Dermatology. Guidelines of care for the management of psoriasis and psoriatic arthritis. Journal of the American Academy of Dermatology.2009;60(4):643-59.
- 5. Menter A, Gelfand JM, Connor C, et al. Joint American Academy of Dermatology-National Psoriasis Foundation guidelines of care for the management of psoriasis with systemic nonbiologic therapies. J Am Acad Dermatol. 2020;82(6):1445-1486. doi:10.1016/j.jaad.2020.02.044
- 6. Fraenkel, L., Bathon, J., England, B., St. Clair, E., Arayssi, T., & Carandang, K. et al. (2021). 2021 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care & Research, 73(7), 924-939. Doi: 10.1002/acr.24596
- 7. Ringold, S., Angeles-Han, S., Beukelman, T., Lovell, D., Cuello, C., & Becker, M. et al. (2019). 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Treatment of Juvenile Idiopathic Arthritis: Therapeutic Approaches for Non-Systemic Polyarthritis, Sacroiliitis, and Enthesitis. Arthritis Care & Research, 71(6), 717-734. doi: 10.1002/acr.23870
- 8. Menter, A., Strober, B., Kaplan, D., Kivelevitch, D., Prater, E., & Stoff, B. et al. (2019). Joint AAD-NPF guidelines of care for the management and treatment of psoriasis with biologics. Journal Of The American Academy Of Dermatology, 80(4), 1029-1072. doi: 10.1016/j.jaad.2018.11.057
- Menter, A., Gelfand, J., Connor, C., Armstrong, A., Cordoro, K., & Davis, D. et al. (2020). Joint American Academy of Dermatology–National Psoriasis Foundation guidelines of care for the management of psoriasis with systemic nonbiologic therapies. Journal Of The American Academy Of Dermatology, 82(6), 1445-1486. doi: 10.1016/j.jaad.2020.02.044
- 10. Elmets, C., Lim, H., Stoff, B., Connor, C., Cordoro, K., & Lebwohl, M. et al. (2019). Joint American Academy of Dermatology–National Psoriasis Foundation guidelines of care for the management and treatment of psoriasis with phototherapy. Journal Of The American Academy Of Dermatology, 81(3), 775-804. doi: 10.1016/j.jaad.2019.04.042

SUMMARY OF REVIEW/REVISIONS	DATE
REVISION- Notable revisions:	Q4 2023
Products Affected	
Required Medical Information	
Continuation of Therapy	
Quantity	
FDA-Approved Uses	
Contraindications/Exclusions/Discontinuation	
Other Special Considerations	
Available Dosage Forms	
References	
REVISION- Notable revisions:	Q4 2022
Required Medical Information	
Continuation of Therapy	
Duration of Approval	
Prescriber Requirements	
Contraindications/Exclusions/Discontinuation	
References	
Q2 2022 Established tracking in new format	Historical changes on file